## NSN 4810-00-580-8927

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-580-8927

Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Flow Control Device Normal Operation Position:
Closed
Connection Style:
Plain, optional en (pipe) 1st end
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
18 1st end
Inlet/outlet Operating Pressure Differential:
50.0 pounds per square inch
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.562 inches 1st end
Voltage In Volts And Current Type:
30.0 dc and 18.0 dc
Outside Diameter Tube Accommodated:
0.375 inches 1st end
Special Features:
Two mounting holes, 0.210 in. Diameter in body
Material:
Steel flow control device
Media For Which Designed:
Hydraulic fluid, phosphate-ester base single response
Style Designator:
Straight through w/offset
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
· · <del>·</del>

## **NSN 4810-00-580-8927** Solenoid Valve - Page 2 of 2

Fiig: A046b0

