## NSN 4810-00-580-8927

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-580-8927 **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: **Poppet** Flow Control Device Normal Operation Position: Closed **Connection Style:** Plain, optional en (pipe) 1st end **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal tube 1st end Thready Qty Per Inch (tpi): 18 1st end **Inlet/outlet Operating Pressure Differential:** 50.0 pounds per square inch **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.562 inches 1st end **Voltage In Volts And Current Type:** 30.0 dc and 18.0 dc **Outside Diameter Tube Accommodated:** 0.375 inches 1st end **Special Features:** Two mounting holes, 0.210 in. Diameter in body Material: Steel flow control device Media For Which Designed: Hydraulic fluid, phosphate-ester base single response **Style Designator:** Straight through w/offset **Thread Series Designator:** Unf 1st end Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

No

## **NSN 4810-00-580-8927** Solenoid Valve - Page 2 of 2



Fiig:

A046b0