## NSN 4810-00-592-6651

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-592-6651

Pipe Size Accommodated:
0.375 inches 1st end
Thread Direction:
Right-hand 1st end
Aperture Diameter:
0.500 inches
Flow Control Device:
Diaphragm
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
180.0 degrees fahrenheit 2nd response
Connection Style:
Plain, optional en (pipe) 1st end
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe 1st end
Mounting Position:
Vertical
Inlet/outlet Operating Pressure Differential:
Between 5.0 pounds per square inch and 125.0 pounds per square inch
Maximum Operating Pressure:
300.0 pounds per square inch 2nd response
Voltage In Volts And Current Type:
250.0 ac
Phase:
Single
Frequency In Hertz:
50.0
Material:
Plastic polytetrafluoroethylene seat
Media For Which Designed:
Air 1st response
Style Designator:
Straight thru
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 4810-00-592-6651

Solenoid Valve - Page 2 of 2



Fiig:

A046b0