NSN 4810-00-593-2418

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-593-2418

Pipe Size Accommodated:
0.500 inches all ends
Thread Direction:
Right-hand all ends
Aperture Diameter:
0.187 inches
Flow Control Device:
Piston
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
150.0 degrees fahrenheit 2nd response
Connection Style:
Plain, optional en (pipe) all ends
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe all ends
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
14 all ends
Inlet/outlet Operating Pressure Differential:
300.0 pounds per square inch
Maximum Operating Pressure:
300.0 pounds per square inch 2nd response
Thread Size:
0.500 inches all ends
Voltage In Volts And Current Type:
230.0 ac
Phase:
Single
Frequency In Hertz:
60.0
Material:
Stainless steel seat
Media For Which Designed:
Fuel/oil, hydrocarbon 1st response
Style Designator:
Straight thru
Thread Series Designator:
Npt all ends

NSN 4810-00-593-2418

Solenoid Valve - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0