NSN 4810-00-618-7258

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-618-7258 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.062 inches Flow Control Device: Piston Flow Control Device Normal Operation Position: Closed **End Application:** Supports grumman a-10 aircraft **Connection Style:** Plain, optional en (pipe) all ends **Current Rating In Amps:** 1.666 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Inlet/outlet Operating Pressure Differential:** 275.0 pounds per square inch **Maximum Operating Pressure:** 275.0 pounds per square inch single response **Thread Size:** 0.250 inches all ends **Voltage In Volts And Current Type:** 6.0 dc **Special Features:** Direct acting Material: Stainless steel stem Media For Which Designed: Water-oil-gas single response **Surface Treatment:** Dichromate **Style Designator:** Straight thru **Thread Series Designator:** Npt all ends **Furnished Items And Quantity:**

1 electrical connector and 1 nut

NSN 4810-00-618-7258

Solenoid Valve - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0