NSN 4810-00-620-3087

Flow Control Device Normal Operation Position:

Solenoid Valve - Page 1 of 2

Thread Direction:
Right-hand 1st end
Offset Distance:
0.438 inches

Flow Control Device:

Disk

Closed



View Online at https://aerobasegroup.com/nsn/4810-00-620-3087

Bolt Hole Quantity:	
2 2nd end	
Connection Style:	
Plain, optional en (pipe) 1st end	
Width:	
1.100 inches 2nd end	
Length:	
1.700 inches 2nd end	
Current Rating In Amps:	
0.800	
Valve Operation Method:	
Solenoid	
Flange Shape:	
Oval with holes 2nd end	
Connection Type:	
Threaded internal pipe 1st end	
Mounting Position:	
Horizontal	
Thread Size:	
0.125 inches 1st end	
Voltage In Volts And Current Type:	
120.0 ac and 208.0 ac	
Thickness:	
0.295 inches 2nd end	
Bolt Hole Diameter:	
0.305 inches 2nd end	
Bolt Circle Diameter:	
1.165 inches 2nd end	
Flange Face Design:	
Plain 2nd end	
Phase:	
Three	
Frequency In Hertz:	
60.0	

NSN 4810-00-620-3087

Solenoid Valve - Page 2 of 2



Material:	
Steel flow control device	
Style Designator:	
Straight through w/offset	
Thread Series Designator:	
Npt 1st end	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

Fiig: A046b0