NSN 4810-00-659-4736

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-659-4736 **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: Needle Flow Control Device Normal Operation Position: Closed **Connection Style:** Plain, optional en (pipe) 1st end **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal tube 1st end **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 20 1st end **Inlet/outlet Operating Pressure Differential:** 200.0 pounds per square inch **Maximum Operating Pressure:** 1500.0 pounds per square inch single response **Thread Size:** 0.437 inches 1st end **Voltage In Volts And Current Type:** 30.0 dc and 18.0 dc **Outside Diameter Tube Accommodated:** 0.250 inches 1st end Media For Which Designed: Hydraulic fluid, phosphate-ester base single response **Surface Treatment:** Anodize **Style Designator:** Straight thru **Supplementary Features:** Applicable on t-37 acft **Thread Series Designator:** Unf 1st end Shelf Life: N/a

Unit Of Measure:

NSN 4810-00-659-4736

Solenoid Valve - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A046b0