NSN 4810-00-661-2274

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-661-2274 **Thread Class:** 3b all ends **Thread Direction:** Right-hand all ends Flow Control Device: Needle Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 250.0 degrees fahrenheit single response **Connection Style:** Inverted flar (tube) all ends **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal tube all ends **Mounting Position:** Horizontal **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.437 inches all ends Seat Angle: 45.0 degrees all ends **Voltage In Volts And Current Type:** 110.0 ac **Outside Diameter Tube Accommodated:** 0.250 inches all ends Phase: Single **Special Features:** Burst pressure 12000 psi, weight 11 oz Frequency In Hertz: 60.0 Material: Plastic polyamide seat **Style Designator:** Straight thru **Thread Series Designator:** Unjf all ends Shelf Life:

N/a

NSN 4810-00-661-2274 Solenoid Valve - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

Demilitarization:

No

Fiig:

A046b0