## NSN 4810-00-673-4919

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-673-4919 **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Aperture Diameter:** 0.156 inches Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 160.0 degrees fahrenheit single response **Connection Style:** Gasket sea (boss) 1st end **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal boss 2nd end **Mounting Position:** Horizontal Thready Qty Per Inch (tpi): 18 1st end **Inlet/outlet Operating Pressure Differential:** 70.0 pounds per square inch **Maximum Operating Pressure:** 70.0 pounds per square inch single response **Thread Size:** 0.562 inches 1st end **Voltage In Volts And Current Type:** 18.0 dc and 30.0 dc **Special Features:** Flow control device, plunger Material: Stainless steel seat Media For Which Designed: Fuel/oil, hydrocarbon single response **Surface Treatment:** Anodize **Style Designator:** Straight thru **Thread Series Designator:** Unjf 1st end

Shelf Life: N/a

## NSN 4810-00-673-4919

Solenoid Valve - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A046b0