

View Online at <https://aerobasegroup.com/nsn/4810-00-676-1139>

Thread Class:

3b all ends

Thread Direction:

Right-hand all ends

Aperture Diameter:

0.250 inches

Flow Control Device:

Poppet

Flow Control Device Normal Operation Position:

Closed

Maximum Operating Temp:

160.0 degrees fahrenheit single response

Connection Style:

Gasket sea (boss) all ends

Valve Operation Method:

Solenoid

Connection Type:

Threaded internal boss all ends

Mounting Position:

Horizontal

Inlet/outlet Operating Pressure Differential:

60.0 pounds per square inch

Maximum Operating Pressure:

60.0 pounds per square inch single response

Thread Size:

0.562 inches all ends

Seat Angle:

37.0 degrees all ends

Voltage In Volts And Current Type:

18.0 dc and 30.0 dc

Outside Diameter Tube Accommodated:

0.562 inches all ends

Material:

Steel seat

Material Specification:

Mil-s-7720 military specification single material response seat

Media For Which Designed:

Hydraulic fluid, silicate-ester base single response

Surface Treatment:

Passivate

Style Designator:

Straight thru

Thread Series Designator:

Unjf all ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

Mil-std (military Standard):

Mil-s-7720 spec.