NSN 4810-00-688-7866

View Online at https://aerobasegroup.com/nsn/4810-00-688-7866

Solenoid Valve - Page 1 of 2



Thread Class: 3a 1st end **Thread Direction:** Right-hand 1st end **Aperture Diameter:** 0.050 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 130.0 degrees fahrenheit single response **Connection Style:** Flared (tube) 2nd end **Valve Operation Method:** Solenoid **Connection Type:** Threaded external tube 2nd end **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 24 2nd end **Maximum Operating Pressure:** 350.0 pounds per square inch single response **Thread Size:** 0.437 inches 1st end Seat Angle: 37.0 degrees 2nd end **Voltage In Volts And Current Type:** 24.0 dc **Outside Diameter Tube Accommodated:** 0.250 inches 1st end Material: Stainless steel Media For Which Designed: Fuel/oil, hydrocarbon single response **Style Designator:** Straight thru **Thread Series Designator:** Unf 2nd end Shelf Life: N/a

NSN 4810-00-688-7866

Solenoid Valve - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A046b0