NSN 4810-00-688-7866

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-688-7866

Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Aperture Diameter:
0.050 inches
Flow Control Device:
Disk
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
130.0 degrees fahrenheit single response
Connection Style:
Flared (tube) 2nd end
Valve Operation Method:
Solenoid
Connection Type:
Threaded external tube 2nd end
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
24 2nd end
Maximum Operating Pressure:
350.0 pounds per square inch single response
Thread Size:
0.437 inches 1st end
Seat Angle:
37.0 degrees 2nd end
Voltage In Volts And Current Type:
24.0 dc
Outside Diameter Tube Accommodated:
0.250 inches 1st end
Material:
Stainless steel
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Style Designator:
Straight thru
Thread Series Designator:
Unf 2nd end
Shelf Life:
N/a

NSN 4810-00-688-7866

Solenoid Valve - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0

