## NSN 4810-00-702-9366

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-702-9366 **Body Material:** Aluminum alloy or aluminum **Outside Surface Treatment:** Anodized **Body Style:** Straight thru Stem Material: Steel, corrosion resisting or steel **Furnished Items:** Internal pilot valve Media For Which Designed: Hydraulic fluid, mil-h-5606 **First End Connection Type:** Threaded internal boss First End Style Designator: Gasket seal First End Thread Size And Series/type Designator: 0.750-16 unf First End Thread Class: 3b **First End Thread Direction:** Right-hand Second End Relationship With First End: Identical **Seat Material:** Steel, corrosion resisting or steel, qq-s-763 **Packing Material:** Any acceptable Flow Control Device: Poppet or disk Flow Control Device Material: Any acceptable **End Connection Quantity:** 2

**Mounting Facility:** Internal thread **Regulation Type:** Automatic single stage Valve Loading Method: Spring **Maximum Inlet Pressure Rating:** 3000.0 pounds per square inch

## NSN 4810-00-702-9366

Fluid Pressure Regulating Valve - Page 2 of 2



## **Outlet Pressure Setting:**

33.0 pounds per square inch

**Outlet Pressure Accuracy Rating:** 

Not rated

Filter:

Not included

**Tempurature Rating:** 

200.0 degrees fahrenheit

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A21100