

View Online at <https://aerobasegroup.com/nsn/4810-00-717-2310>

**Body Material:**

Aluminum alloy

**Outside Surface Treatment:**

Anodized

**Body Style:**

Tee

**Stem Material:**

Steel, corrosion resisting

**Media For Which Designed:**

Air

**First End Connection Type:**

Threaded external tube

**First End Style Designator:**

Flared

**First End Outside Diameter Tube Accommodated:**

0.188 inches

**First End Thread Size And Series/type Designator:**

3/8-24 unf

**First End Thread Class:**

3a

**First End Thread Direction:**

Right-hand

**Second End Relationship With First End:**

Identical

**Third End Relationship With Preceding Ends:**

Identical with first end

**Seat Material:**

Steel, corrosion resisting

**First End Seat Angle In Deg:**

37.0

**Packing Material:**

Rubber, synthetic

**Flow Control Device:**

Disk, top guided

**Flow Control Device Material:**

Steel, corrosion resisting

**End Connection Quantity:**

3

**Regulation Type:**

Automatic single stage

**Valve Stem Design:**

Single seat

**Valve Loading Method:**

Spring

**Remote Actuation Method:**

Bellows

**Maximum Inlet Pressure Rating:**

250.0 pounds per square inch

**Outlet Pressure Setting:**

13.0 pounds per square inch

**Filter:**

Not included

**Temperature Rating:**

Between -65.0 degrees fahrenheit and 250.0 degrees fahrenheit

**Special Features:**

50 cfm maximum flow capacity at maximum rated inlet and outlet pressures

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A21100