## NSN 4810-00-720-4518

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-720-4518 **Thread Class:** 3a 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: Piston Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 500.0 degrees fahrenheit single response **Connection Style:** Flared (tube) all ends **Valve Operation Method:** Solenoid **Connection Type:** Threaded external tube 2nd end **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 20 2nd end **Maximum Operating Pressure:** 200.0 pounds per square inch single response **Thread Size:** 0.750 inches 1st end Seat Angle: 37.0 degrees 2nd end **Voltage In Volts And Current Type:** 14.0 dc and 30.0 dc **Outside Diameter Tube Accommodated:** 0.500 inches 1st end Material: Steel seat Media For Which Designed: Air single response **Style Designator:** Straight thru **Thread Series Designator:** Unf 2nd end Shelf Life: N/a

--

**Unit Of Measure:** 

## NSN 4810-00-720-4518

Solenoid Valve - Page 2 of 2



Demi			

No

Fiig:

A046b0