NSN 4810-00-720-4727

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-720-4727

Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Piston
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
500.0 degrees fahrenheit single response
Connection Style:
Flared (tube) 1st end
Valve Operation Method:
Solenoid
Connection Type:
Threaded external tube 1st end
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
12 1st end
Maximum Operating Pressure:
250.0 pounds per square inch single response
Thread Size:
1.625 inches 1st end
Seat Angle:
37.0 degrees 1st end
Voltage In Volts And Current Type:
30.0 dc and 24.0 dc
Outside Diameter Tube Accommodated:
1.250 inches 1st end
Material:
Stainless steel seat
Media For Which Designed:
Air single response
Style Designator:
Straight thru
Supplementary Features:
Applicable on f104c, d, g acft
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a

NSN 4810-00-720-4727

Solenoid Valve - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A046b0