NSN 4810-00-825-4812

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-825-4812

Pipe Size Accommodated:
1.000 inches all ends
Thread Direction:
Right-hand all ends
Aperture Diameter:
1.000 inches
Flow Control Device:
Piston
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
212.0 degrees fahrenheit 2nd response
Connection Style:
G9 plain, optional en (pipe) all ends
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe all ends
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
11-1/2 all ends
Maximum Operating Pressure:
240.0 pounds per square inch 2nd response
Thread Size:
1.000 inches all ends
Voltage In Volts And Current Type:
115.0 ac
Phase:
Single
Frequency In Hertz:
60.0
Material:
Stainless steel flow control device and rubber butadiene-acrylonitrile class nbr flow control device
Media For Which Designed:
Gas, natural 2nd response
Style Designator:
Err-090
Thread Series Designator:
Npt all ends
Reference Number Differentiating Characteristics:

As differentiated by solenoid voltage rating

NSN 4810-00-825-4812

Solenoid Valve - Page 2 of 2



		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0