## NSN 4810-00-826-5739

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-826-5739

Thread Direction:
Right-hand all ends
Aperture Diameter:
Between 0.062 inches and 0.094 inches
Flow Control Device:
Piston
Flow Control Device Normal Operation Position:
Universal
Maximum Operating Temp:
104.0 degrees fahrenheit single response
Connection Style:
G9 plain, optional en (pipe) all ends
Current Rating In Amps:
0.047
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe all ends
Mounting Position:
Horizontal or vertical
Inlet/outlet Operating Pressure Differential:
150.0 pounds per square inch
Maximum Operating Pressure:
100.0 pounds per square inch single response
Thread Size:
0.250 inches all ends
Voltage In Volts And Current Type:
115.0 ac
Center To Center Distance:
1.094 inches
Material:
Stainless steel flow control device
Media For Which Designed:
Air single response
Style Designator:
Err-090
Thread Series Designator:
Npt all ends
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4810-00-826-5739

Solenoid Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A046b0