NSN 4810-00-826-5739

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-826-5739

Thread Direction: Right-hand all ends Aperture Diameter: Between 0.062 inches and 0.094 inches

Flow Control Device:

Piston

Flow Control Device Normal Operation Position:

Universal

Maximum Operating Temp:

104.0 degrees fahrenheit single response

Connection Style:

G9 plain, optional en (pipe) all ends

Current Rating In Amps:

0.047

Valve Operation Method:

Solenoid

Connection Type:

Threaded internal pipe all ends

Mounting Position:

Horizontal or vertical

Inlet/outlet Operating Pressure Differential:

150.0 pounds per square inch

Maximum Operating Pressure:

100.0 pounds per square inch single response

Thread Size:

0.250 inches all ends

Voltage In Volts And Current Type:

115.0 ac

Center To Center Distance:

1.094 inches

Material:

Stainless steel flow control device

Media For Which Designed:

Air single response

Style Designator:

Err-090

Thread Series Designator:

Npt all ends

Shelf Life:

N/a

Unit Of Measure:

--

NSN 4810-00-826-5739

Solenoid Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

