NSN 4810-00-828-1668



Solenoid Valve - Page 1 of 2	
View Online at https://aerobasegroup.com/nsn/4810-00-828-1668	
Pipe Size Accommodated:	
0.375 inches all ends	
Thread Direction:	
Right-hand all ends	
Aperture Diameter:	
0.125 inches	
Flow Control Device:	
Piston	
Flow Control Device Normal Operation Position:	
Closed	
Maximum Operating Temp:	
180.0 degrees fahrenheit 3rd response	
Connection Style:	
G9 plain, optional en (pipe) all ends	
Valve Operation Method:	
Solenoid	
Connection Type:	
Threaded internal pipe all ends	
Mounting Position:	
Horizontal	
Thready Qty Per Inch (tpi):	
18 all ends	
Inlet/outlet Operating Pressure Differential:	
80.0 pounds per square inch	
Maximum Operating Pressure:	
135.0 pounds per square inch 1st response	
Thread Size:	
0.375 inches 1st end	
Voltage In Volts And Current Type:	
120.0 ac	
Phase:	
Single	
Frequency In Hertz:	
60.0	
Material:	
Stainless steel flow control device	

Media For Which Designed:

Gas, inert 2nd response

Style Designator:

Err-090

Thread Series Designator:

Npt all ends

NSN 4810-00-828-1668

Solenoid Valve - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0