# NSN 4810-00-831-0075

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-831-0075

# Thread Direction: Right-hand all ends Aperture Diameter:

0.094 inches

# Flow Control Device:

Disk

#### Flow Control Device Normal Operation Position:

Universal

#### Maximum Operating Temp:

200.0 degrees fahrenheit single response

#### **End Application:**

Grumman aerospace corporation a10 aircraft

#### **Connection Style:**

G9 plain, optional en (pipe) all ends

#### **Current Rating In Amps:**

0.091

#### Valve Operation Method:

Solenoid

#### **Connection Type:**

Threaded internal pipe all ends

#### **Mounting Position:**

Horizontal or vertical

## Inlet/outlet Operating Pressure Differential:

80.0 pounds per square inch

### Maximum Operating Pressure:

80.0 pounds per square inch single response

### Thread Size:

0.250 inches all ends

### Voltage In Volts And Current Type:

120.0 ac

Phase:

Single

### Frequency In Hertz:

60.0

# Material:

Rubber butadiene-acrylonitrile class nbr packing

# Media For Which Designed:

Gas, inert 2nd response

# Style Designator:

Err-090

# **Thread Series Designator:**

Npt 1st end

# NSN 4810-00-831-0075

Solenoid Valve - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

