Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-858-0477

# **Body Material:** Aluminum alloy **Outside Surface Treatment:** Anodized **Body Style:** Tee **Stem Material:** Steel, corrosion resisting Media For Which Designed: Hydraulic fluid, phosphate-ester base **First End Connection Type:** Threaded internal boss First End Style Designator: Gasket seal First End Thread Size And Series/type Designator: 9/16-18 unf **First End Thread Class:** 3b **First End Thread Direction: Right-hand** Second End Relationship With First End: Identical Third End Relationship With Preceding Ends: Not identical with first or second end Third End Connection Type: Threaded internal boss Third End Style Designator: Gasket seal Third End Thread Size And Series/type Designator: 7/16-20 unf **Third End Thread Class:** 3b **Third End Thread Direction: Right-hand** Seat Material: Steel, corrosion resisting **Packing Material:** Rubber, synthetic Flow Control Device: Poppet **End Connection Quantity:** 3



## **Outlet Pressure Range:**

+2000.0/+2075.0 pounds per square inch

## Regulation Type:

Automatic single stage

## Valve Stem Design:

Single seat

# Valve Loading Method:

Spring

## **Remote Actuation Method:**

Piston

# Maximum Inlet Pressure Rating:

3000.0 pounds per square inch

#### Filter:

Not included

#### **Tempurature Rating:**

Between -65.0 degrees fahrenheit and 160.0 degrees fahrenheit

#### Shelf Life:

N/a

---

#### Unit Of Measure:

Demilitarization:

### Yes - demil/mli

Fiig:

## A21100

421100