## NSN 4810-00-894-1309

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-894-1309

Thread Direction:
Right-hand all ends
Aperture Diameter:
0.093 inches
Flow Control Device:
Piston
Flow Control Device Normal Operation Position:
Closed
Connection Style:
G9 plain, optional en (pipe) all ends
Current Rating In Amps:
0.100 and 0.090
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe all ends
Mounting Position:
Horizontal or vertical
Inlet/outlet Operating Pressure Differential:
125.0 pounds per square inch
Maximum Operating Pressure:
125.0 pounds per square inch single response
Thread Size:
0.250 inches all ends
Voltage In Volts And Current Type:
110.0 ac and 120.0 ac
Phase:
Single
Frequency In Hertz:
50.0 and 60.0
Material:
Stainless steel flow control device
Media For Which Designed:
Oxygen, gaseous 4th response
Surface Treatment:
Cadmium
Style Designator:
Err-090
Thread Series Designator:
Npt all ends
Shelf Life:

N/a

## NSN 4810-00-894-1309

Solenoid Valve - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A046b0

