NSN 4810-00-907-0664 Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-907-0664
Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Offset Distance:
0.500 inches
Flow Control Device Normal Operation Position:
Open
Maximum Operating Temp:
160.0 degrees fahrenheit single response
Connection Style:
G4 gasket sea (boss) 1st end
Current Rating In Amps:
1.000
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
20 1st end
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.437 inches 1st end
Seat Angle:
120.0 degrees 1st end
Voltage In Volts And Current Type:
24.0 dc
Outside Diameter Tube Accommodated:
0.250 inches 1st end
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Style Designator:
A6 straight through w/offset
Test Data Document:
81349-mil-e-5272 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a
Unit Of Measure:

NSN 4810-00-907-0664

Solenoid Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A046b0