

View Online at <https://aerobasegroup.com/nsn/4810-00-914-2045>

**Body Material:**

Aluminum alloy, mil-a-8097

**Outside Surface Treatment:**

Anodized, mil-a-8625, type 1

**Body Style:**

Tee

**Media For Which Designed:**

Hydraulic fluid, petroleum base

**First End Connection Type:**

Threaded internal boss

**First End Style Designator:**

Gasket seal

**First End Thread Size And Series/type Designator:**

9/16-18 unf

**First End Thread Class:**

3b

**First End Thread Direction:**

Right-hand

**Second End Relationship With First End:**

Identical

**Third End Relationship With Preceding Ends:**

Not identical with first or second end

**Third End Connection Type:**

Threaded internal boss

**Third End Style Designator:**

Gasket seal

**Third End Thread Size And Series/type Designator:**

3/4-16 unf

**Third End Thread Class:**

2b

**Third End Thread Direction:**

Right-hand

**Seat Material:**

Steel, corrosion resisting

**Center To Center Distance:**

0.900 inches

**Flow Control Device:**

Poppet

**Flow Control Device Material:**

Steel, ams 5610

**End Connection Quantity:**

3

**Mounting Facility:**

Unthd holes in body

**Outlet Pressure Range:**

+2720.0/+3260.0 pounds per square inch

**Regulation Type:**

Manual single stage

**Manual Control Method:**

Screw

**Valve Loading Method:**

Spring

**Maximum Inlet Pressure Rating:**

3000.0 pounds per square inch

**Filter:**

Not included

**Tempurature Rating:**

Between -65.0 degrees fahrenheit and 275.0 degrees fahrenheit

**Reference Number Differentiating Characteristics:**

As differentiated by source controlled part no. 114hs115-1, fscm 77272

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A21100