NSN 4810-00-939-0260



Solenoid Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4810-00-939-0260 **Thread Class:** 3b all ends **Thread Direction:** Right-hand all ends Flow Control Device: Needle or stem Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 250.0 degrees fahrenheit 2nd response **End Application:** Aircraft, hercules c-130; aircraft, galaxy c-5; aircraft, thunderbolt ii, a-10; aircraft, b-1b; aircraft, (ac-130h, mc-130h, ec-130e, hc-130); en **Connection Style:** G4 gasket sea (boss) all ends **Current Rating In Amps:** 0.400 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal boss all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 15.0 pounds per square inch single response **Thread Size:** 0.437 inches all ends **Voltage In Volts And Current Type:** 28.0 dc **Outside Diameter Tube Accommodated:** 0.250 inches all ends Material: Stainless steel body Media For Which Designed: Air single response **Style Designator:** Err-090

Unit Of Measure:

N/a

Unjf all ends Shelf Life:

Thread Series Designator:

NSN 4810-00-939-0260

Solenoid Valve - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A046b0