

View Online at <https://aerobasegroup.com/nsn/4810-00-950-7035>

**Body Material:**

Aluminum alloy, mil-a-8097 comp 14s temper t6

**Outside Surface Treatment:**

Anodized, mil-a-8625

**Body Style:**

Tee

**Media For Which Designed:**

Hydrocarbon fuels and oils

**First End Connection Type:**

Threaded internal boss

**First End Style Designator:**

Gasket seal

**First End Thread Size And Series/type Designator:**

9/16-18 unjf

**First End Thread Class:**

3b

**First End Thread Direction:**

Right-hand

**Second End Relationship With First End:**

Identical

**Third End Relationship With Preceding Ends:**

Identical with first end

**Seat Material:**

Steel, ams 5610

**Center To Center Distance:**

Between 0.890 inches and 0.910 inches

**Packing Material:**

Rubber, mil-p-25732

**Flow Control Device:**

Disk, plug type

**Flow Control Device Material:**

Steel, ams 5630

**End Connection Quantity:**

3

**Mounting Facility:**

Unthd holes

**Outlet Pressure Range:**

+2720.0/+3260.0 pounds per square inch

**Regulation Type:**

Automatic single stage

**Valve Stem Design:**

Single seat

**Valve Loading Method:**

Spring

**Maximum Inlet Pressure Rating:**

4000.0 pounds per square inch

**Outlet Pressure Accuracy Rating:**

Not rated

**Filter:**

Not included

**Temperature Rating:**

Between -65.0 degrees fahrenheit and 275.0 degrees fahrenheit

**Reference Number Differentiating Characteristics:**

As differentiated by the source control dwg no. 114hs115-1, fscm 77272

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A21100