

View Online at <https://aerobasegroup.com/nsn/4810-00-992-0940>

Body Material:

Aluminum alloy, qq&a&268, 2024, cond t42

Outside Surface Treatment:

Anodized, mil&a&8625

Media For Which Designed:

Hydraulic fluid, mil&0&5606

First End Connection Type:

Threaded internal boss

First End Style Designator:

Gasket seal

First End Thread Size And Series/type Designator:

7/16-20 unf

First End Thread Class:

3b

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Not identical

Second End Connection Type:

Threaded internal boss

Second End Style Designator:

Gasket seal

Second End Thread Size And Series/type Designator:

1/2-20 unf

Second End Thread Class:

3b

Second End Thread Direction:

Right-hand

Seat Material:

Steel 4402, ams5630

Flow Control Device:

Poppet

Flow Control Device Material:

Steel, corrosion resisting, qq&s&764, comp 416

End Connection Quantity:

2

Regulation Type:

Manual single stage

Manual Control Method:

Screw

Valve Stem Design:

Single seat

Valve Loading Method:

Spring

Maximum Inlet Pressure Rating:

1500.0 pounds per square inch

Filter:

Not included

Temperature Rating:

Between -65.0 degrees fahrenheit and 160.0 degrees fahrenheit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A21100