## NSN 4810-00-993-3938

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-993-3938

Thread Direction:
Right-hand all ends
Aperture Diameter:
0.766 inches
Flow Control Device:
Needle or stem
Flow Control Device Normal Operation Position:
Closed
Bolt Hole Quantity:
4 all ends
Maximum Operating Temp:
160.0 degrees fahrenheit single response
Width:
1.625 inches all ends
Length:
1.625 inches all ends
Current Rating In Amps:
2.000
Valve Operation Method:
Solenoid
Flange Shape:
Rectangular with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal
Maximum Operating Pressure:
110.0 pounds per square inch single response
Thread Size:
1.000 inches all ends
Voltage In Volts And Current Type:
24.0 dc
Thickness:
0.182 inches all ends
Bolt Hole Diameter:
0.221 inches all ends
Center To Center Distance Between Bolt Holes Along Length:
1.156 inches all ends
Center To Center Distance Between Bolt Holes Along Width:
1.156 inches all ends
Flange Face Design:

Plain all ends

## **NSN 4810-00-993-3938** Solenoid Valve - Page 2 of 2



Material:
Aluminum alloy
Media For Which Designed:
Refrigerant, halogenated single response
Style Designator:
Err-090
Thread Series Designator:
Npt all ends
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A046b0