NSN 4810-00-995-1160

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-995-1160 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.688 inches Flow Control Device: Diaphragm Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 200.0 degrees fahrenheit single response **Connection Style:** G46b plain (pipe) all ends **Valve Operation Method:** Solenoid **Connection Type:** Threaded external pipe all ends **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 14 all ends **Inlet/outlet Operating Pressure Differential:** 100.0 pounds per square inch **Maximum Operating Pressure:** 300.0 pounds per square inch single response **Thread Size:** 0.750 inches all ends **Voltage In Volts And Current Type:** 115.0 ac Phase: Single Frequency In Hertz: 50.0 and 60.0 Material: Stainless steel flow control device Media For Which Designed: Water-oil-gas single response **Style Designator:** Err-090 **Thread Series Designator:** Npt all ends Shelf Life:

N/a

NSN 4810-00-995-1160

Solenoid Valve - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A046b0