NSN 4810-01-017-8064



Solenoid Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4810-01-017-8064 **Thread Class:** 2a all ends **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.250 inches Offset Distance: 1.500 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Universal **Maximum Operating Temp:** 200.0 degrees fahrenheit single response **Connection Style:** G45 flareless (tube) all ends **Current Rating In Amps:** 0.340 **Valve Operation Method:** Solenoid **Connection Type:** Threaded external tube all ends **Mounting Position:** Horizontal **Inlet/outlet Operating Pressure Differential:** 100.0 pounds per square inch **Maximum Operating Pressure:** 1000.0 pounds per square inch single response **Thread Size:** 0.438 inches all ends Seat Angle: 12.5 degrees all ends **Voltage In Volts And Current Type:** 120.0 ac Phase: Single Frequency In Hertz: 60.0 Material: Stainless steel seat

Media For Which Designed:

Air single response

NSN 4810-01-017-8064

Solenoid Valve - Page 2 of 2



Style Designator:
Err-090
Thread Series Designator:
Unf all ends
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A046b0