NSN 4810-01-017-8064

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-017-8064

Thread Class:
2a all ends

Thread Direction:

Right-hand all ends

Aperture Diameter:

0.250 inches

Offset Distance:

1.500 inches

Flow Control Device:

Disk

Flow Control Device Normal Operation Position:

Universal

Maximum Operating Temp:

200.0 degrees fahrenheit single response

Connection Style:

G45 flareless (tube) all ends

Current Rating In Amps:

0.340

Valve Operation Method:

Solenoid

Connection Type:

Threaded external tube all ends

Mounting Position:

Horizontal

Inlet/outlet Operating Pressure Differential:

100.0 pounds per square inch

Maximum Operating Pressure:

1000.0 pounds per square inch single response

Thread Size:

0.438 inches all ends

Seat Angle:

12.5 degrees all ends

Voltage In Volts And Current Type:

120.0 ac

Phase:

Single

Frequency In Hertz:

60.0

Material:

Stainless steel seat

Media For Which Designed:

Air single response

NSN 4810-01-017-8064

Solenoid Valve - Page 2 of 2

Style Designator:

Err-090

Thread Series Designator:

Unf all ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

