## NSN 4810-01-019-4774

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-019-4774 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.094 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 180.0 degrees fahrenheit single response **Connection Style:** G9 plain, optional en (pipe) all ends **Current Rating In Amps:** 0.346 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Inlet/outlet Operating Pressure Differential:** 65.0 pounds per square inch **Maximum Operating Pressure:** 110.0 pounds per square inch single response **Thread Size:** 0.250 inches all ends **Voltage In Volts And Current Type:** 28.0 dc **Special Features:** Explosion proof and watertight solenoid enclosure Material: Rubber butadiene-acrylonitrile class nbr seat Media For Which Designed: Water-oil-gas single response **Style Designator:** Err-090 **Thread Series Designator:** Npt all ends Shelf Life: N/a

**Unit Of Measure:** 

## NSN 4810-01-019-4774

Solenoid Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A046b0