## NSN 4810-01-022-5645

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-022-5645

## Thread Direction:

Right-hand all ends

#### **Aperture Diameter:**

0.094 inches

## **Flow Control Device:**

Disk

### Flow Control Device Normal Operation Position:

Closed

#### Maximum Operating Temp:

150.0 degrees fahrenheit single response

#### **Connection Style:**

G9 plain, optional en (pipe) all ends

#### **Current Rating In Amps:**

0.300

#### Valve Operation Method:

Solenoid

#### **Connection Type:**

Threaded internal pipe all ends

## Mounting Position:

Horizontal

## Maximum Operating Pressure:

300.0 pounds per square inch single response

#### Thread Size:

0.125 inches all ends

## Voltage In Volts And Current Type:

115.0 ac

Phase:

Single

## Frequency In Hertz:

60.0

#### Material:

Aluminum alloy flow control device

#### Media For Which Designed:

Fuel/oil, hydrocarbon single response

#### Style Designator:

Err-090

## **Thread Series Designator:**

Npt all ends

#### Shelf Life:

N/a

#### Unit Of Measure:

--

# NSN 4810-01-022-5645

Solenoid Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

