## NSN 4810-01-029-3720

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-029-3720

## Thread Direction:

Right-hand all ends

## **Flow Control Device:**

Disk

## Flow Control Device Normal Operation Position:

Closed

## Maximum Operating Temp:

150.0 degrees fahrenheit single response

#### **Connection Style:**

G9 plain, optional en (pipe) all ends

## Current Rating In Amps:

0.083

#### Valve Operation Method:

Solenoid

#### Connection Type:

Threaded internal pipe all ends

## **Mounting Position:**

Horizontal

## Inlet/outlet Operating Pressure Differential:

1050.0 pounds per square inch

## Maximum Operating Pressure:

1050.0 pounds per square inch single response

#### **Thread Size:**

0.250 inches all ends

## Voltage In Volts And Current Type:

120.0 ac

Phase:

Single

## Frequency In Hertz:

60.0

#### Material:

Stainless steel flow control device

#### Media For Which Designed:

Air single response

#### Style Designator:

Err-090

## **Thread Series Designator:**

Nptf all ends

Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 4810-01-029-3720

Solenoid Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

