NSN 4810-01-032-5702

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-032-5702 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.125 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 180.0 degrees fahrenheit single response **Connection Style:** Plain, optional en (pipe) all ends **Current Rating In Amps:** 0.395 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Inlet/outlet Operating Pressure Differential:** 100.0 pounds per square inch **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.250 inches all ends **Voltage In Volts And Current Type:** 24.0 dc **Special Features:** Explosion-proof solenoid enclosure Material: Stainless steel Media For Which Designed: Water-oil-gas single response **Style Designator:** Straight thru **Thread Series Designator:** Npt all ends Shelf Life: N/a

Unit Of Measure:

NSN 4810-01-032-5702

Solenoid Valve - Page 2 of 2



Demi			

No

Fiig:

A046b0