NSN 4810-01-033-2035

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-033-2035 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.250 inches Flow Control Device: Piston Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 180.0 degrees fahrenheit single response **Connection Style:** G9 plain, optional en (pipe) all ends **Current Rating In Amps:** 0.395 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 200.0 pounds per square inch single response **Thread Size:** 0.250 inches all ends **Voltage In Volts And Current Type:** 24.0 dc **Special Features:** Body is naval brass Material: Rubber butadiene-acrylonitrile class nbr flow control device and stainless steel flow control device Media For Which Designed: Fuel/oil, hydrocarbon single response **Style Designator:** Err-090 **Thread Series Designator:** Npt all ends Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 4810-01-033-2035

Solenoid Valve - Page 2 of 2



Fiig:

A046b0