NSN 4810-01-038-5451

Solenoid Valve - Page 1 of 2



Solenoid Valve - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/4810-01-038-5451
Thread Direction:
Right-hand all ends
Aperture Diameter:
1.250 inches
Flow Control Device:
Diaphragm
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
180.0 degrees fahrenheit single response
Connection Style:
G9 plain, optional en (pipe) all ends
Current Rating In Amps:
0.128
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe all ends
Mounting Position:
Horizontal or vertical
Inlet/outlet Operating Pressure Differential:
25.0 pounds per square inch
Maximum Operating Pressure:
100.0 pounds per square inch single response
Thread Size:
1.000 inches all ends
Voltage In Volts And Current Type:
120.0 ac
Phase:
Single
Special Features:
For medium vacuum service, range 25 torr to 10 to the minus 3 power
Frequency In Hertz:
60.0
Material:
Rubber butadiene-acrylonitrile class nbr flow control device
Media For Which Designed:
Gas, inert 2nd response
Style Designator:
Err-090
Thread Series Designator:
Npt all ends

NSN 4810-01-038-5451

Solenoid Valve - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0

