## NSN 4810-01-064-1951

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-064-1951 **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Aperture Diameter:** 0.125 inches Flow Control Device: Piston Flow Control Device Normal Operation Position: Closed **Connection Style:** Swivel nut, inverted flar (tube) 1st end **Current Rating In Amps:** 0.080 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal tube 1st end **Mounting Position:** Horizontal Thready Qty Per Inch (tpi): 16 1st end **Maximum Operating Pressure:** 135.0 pounds per square inch single response **Thread Size:** 1.125 inches 1st end Seat Angle: 37.0 degrees 1st end **Voltage In Volts And Current Type:** 115.0 ac **Outside Diameter Tube Accommodated:** 0.750 inches 1st end Phase: Single Frequency In Hertz: 60.0 Material: Copper alloy Media For Which Designed: Air single response **Style Designator:** 

Style De Err-090

## NSN 4810-01-064-1951

Solenoid Valve - Page 2 of 2



Unf 2nd end

**Furnished Items And Quantity:** 

1 nut and 1 ferrule

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0