NSN 4810-01-064-2795

Solenoid Valve - Page 1 of 2

Thread Class: 2b 1st end

0.125 inches

Offset Distance:

Thread Direction:
Right-hand 1st end
Aperture Diameter:



View Online at https://aerobasegroup.com/nsn/4810-01-064-2795

8.500 inches
Flow Control Device:
Piston
Flow Control Device Normal Operation Position:
Open
Connection Style:
Swivel nut, inverted flar (tube) 1st end
Current Rating In Amps:
0.080
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal tube 1st end
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
16 1st end
Thread Size:
1.125 inches 1st end
Seat Angle:
45.0 degrees 1st end
Voltage In Volts And Current Type:
115.0 ac
Seat Radius:
0.031 inches 2nd end
Outside Diameter Tube Accommodated:
0.750 inches 1st end
Phase:
Single
Frequency In Hertz:
60.0
Material:
Copper alloy body
Style Designator:
Err-090

NSN 4810-01-064-2795

Solenoid Valve - Page 2 of 2



Thread Series Designator	Thread	Series	Design	ator
--------------------------	--------	---------------	--------	------

Unf 2nd end

Furnished Items And Quantity:

1 nut and 1 ferrule

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0