## NSN 4810-01-064-7862

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-064-7862

Flow Control Device:			
Disk			
Flow Control Device Normal Operation Position:			
Closed			
Bolt Hole Quantity:			
8 all ends			
Current Rating In Amps:			
9.100			
Valve Operation Method:			
Solenoid			
Flange Shape:			
Round with holes all ends			
Connection Type:			
Flange all ends			
Mounting Position:			
Vertical			
Valve Size:			
4.000 inches			
Maximum Operating Pressure:			
150.0 pounds per square inch single response			
Voltage In Volts And Current Type:			
115.0 ac			
Outside Diameter:			
9.000 inches all ends			
Face To Face Distance:			
15.250 inches			
Thickness:			
0.938 inches all ends			
<b>Bolt Hole Diameter:</b>			
0.750 inches all ends			
<b>Bolt Circle Diameter:</b>			
7.500 inches all ends			
Flange Face Design:			
Plain 1st end			
Raised Face Height:			
0.062 inches all ends			
Raised Face Diameter:			
6.188 inches all ends			
Phase:			
Single			
Frequency In Hertz:			

60.0

## NSN 4810-01-064-7862

Solenoid Valve - Page 2 of 2



RЛ	ate	ria	ı.
IVI	ale	па	ı .

Steel body

Style Designator:

Err-090

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0