## NSN 4810-01-065-3442

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-065-3442 **Thread Class:** 3b all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet** Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 160.0 degrees fahrenheit single response **Connection Style:** G4 gasket sea (boss) all ends **Current Rating In Amps:** 0.600 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal boss all ends **Mounting Position:** Horizontal **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.438 inches all ends **Voltage In Volts And Current Type:** 110.0 ac **Center To Center Distance:** 0.950 inches Phase: Single Frequency In Hertz: 60.0 Material: Aluminum alloy body Media For Which Designed: Water-oil-gas single response Style Designator: Err-090 **Thread Series Designator:** Unf all ends

Shelf Life:

N/a

## NSN 4810-01-065-3442

Solenoid Valve - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A046b0