## NSN 4810-01-075-4634

Solenoid Valve - Page 1 of 2

Flow Control Device:

Disk



View Online at https://aerobasegroup.com/nsn/4810-01-075-4634

Flow Control Device Normal Operation Position:
Closed
Bolt Hole Quantity:
8 all ends
Current Rating In Amps:
0.260
Valve Operation Method:
Solenoid
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal
Valve Size:
3.000 inches
Maximum Operating Pressure:
40.0 pounds per square inch single response
Voltage In Volts And Current Type:
115.0 ac
Outside Diameter:
6.625 inches all ends
Face To Face Distance:
9.875 inches
Thickness:
0.500 inches all ends
Bolt Hole Diameter:
0.562 inches all ends
Bolt Circle Diameter:
5.500 inches all ends
Flange Face Design:
Plain all ends
Phase:
Single
Special Features:
Watertight solenoid enclosure
Frequency In Hertz:
60.0
Material:
Plastic polytetrafluoroethylene flow control device

## NSN 4810-01-075-4634

Solenoid Valve - Page 2 of 2



Style Designator:
Err-090
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A046b0