# NSN 4810-01-076-3675

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-076-3675

# Thread Direction:

Right-hand all ends

# **Flow Control Device:**

Disk

# Flow Control Device Normal Operation Position:

Open

## Maximum Operating Temp:

180.0 degrees fahrenheit single response

#### **Connection Style:**

G9 plain, optional en (pipe) all ends

# Current Rating In Amps:

0.180

#### Valve Operation Method:

Solenoid

#### Connection Type:

Threaded internal pipe all ends

#### **Mounting Position:**

Horizontal or vertical

# Maximum Operating Pressure:

3000.0 pounds per square inch single response

### Thread Size:

0.250 inches all ends

# Voltage In Volts And Current Type:

115.0 ac

Phase:

Single

# Frequency In Hertz:

60.0

Material:

Steel flow control device

# Media For Which Designed:

Fuel/oil, hydrocarbon single response

#### Style Designator:

Err-090

# Thread Series Designator:

Nptf all ends

Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

No

# **NSN 4810-01-076-3675** Solenoid Valve - Page 2 of 2

Fiig: A046b0

