

View Online at <https://aerobasegroup.com/nsn/4810-01-084-3547>

**Flow Control Device:**

Disk

**Flow Control Device Normal Operation Position:**

Closed

**Renewable Seat Ring Type:**

Threaded

**Bolt Hole Quantity:**

6 all ends

**Maximum Operating Temp:**

180.0 degrees fahrenheit single response

**Current Rating In Amps:**

0.687

**Valve Operation Method:**

Solenoid

**Flange Shape:**

Round with holes all ends

**Connection Type:**

Flange all ends

**Mounting Position:**

Horizontal

**Valve Size:**

2.000 inches

**Inlet/outlet Operating Pressure Differential:**

5.0 pounds per square inch

**Maximum Operating Pressure:**

140.0 pounds per square inch single response

**Voltage In Volts And Current Type:**

115.0 ac

**Outside Diameter:**

5.562 inches all ends

**Face To Face Distance:**

7.000 inches

**Thickness:**

0.438 inches all ends

**Bolt Hole Diameter:**

0.688 inches all ends

**Bolt Circle Diameter:**

4.438 inches all ends

**Flange Face Design:**

Plain all ends

**Phase:**

Single

**Special Features:**

Furnished w/manual operator

**Frequency In Hertz:**

60.0

**Material:**

Plastic polytetrafluoroethylene flow control device

**Media For Which Designed:**

Water, fresh single response

**Style Designator:**

Err-090

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0