

View Online at <https://aerobasegroup.com/nsn/4810-01-084-3547>

Flow Control Device:

Disk

Flow Control Device Normal Operation Position:

Closed

Renewable Seat Ring Type:

Threaded

Bolt Hole Quantity:

6 all ends

Maximum Operating Temp:

180.0 degrees fahrenheit single response

Current Rating In Amps:

0.687

Valve Operation Method:

Solenoid

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Mounting Position:

Horizontal

Valve Size:

2.000 inches

Inlet/outlet Operating Pressure Differential:

5.0 pounds per square inch

Maximum Operating Pressure:

140.0 pounds per square inch single response

Voltage In Volts And Current Type:

115.0 ac

Outside Diameter:

5.562 inches all ends

Face To Face Distance:

7.000 inches

Thickness:

0.438 inches all ends

Bolt Hole Diameter:

0.688 inches all ends

Bolt Circle Diameter:

4.438 inches all ends

Flange Face Design:

Plain all ends

Phase:

Single

Special Features:

Furnished w/manual operator

Frequency In Hertz:

60.0

Material:

Plastic polytetrafluoroethylene flow control device

Media For Which Designed:

Water, fresh single response

Style Designator:

Err-090

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0