NSN 4810-01-093-0797

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-093-0797

Flow Control Device:
Poppet
Flow Control Device Normal Operation Position:
Closed
Bolt Hole Quantity:
4 1st end
End Application:
Oliver perry class ffg
Current Rating In Amps:
1.100
Valve Operation Method:
Solenoid
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Vertical
Valve Size:
1.500 inches
Maximum Operating Pressure:
57.0 pounds per square inch single response
Criticality Code Justification:
Feat
Voltage In Volts And Current Type:
120.0 ac
Outside Diameter:
5.000 inches all ends
Face To Face Distance:
10.620 inches
Thickness:
0.628 inches all ends
Bolt Hole Diameter:
0.625 inches all ends
Bolt Circle Diameter:
3.880 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Raised Face Diameter:

2.560 inches 1st end

NSN 4810-01-093-0797 Solenoid Valve - Page 2 of 2



Phase:
Single
Special Features:
Weapon system essential
Frequency In Hertz:
60.0
Material:
Stainless steel seat
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Style Designator:
Err-090
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A046b0