NSN 4810-01-122-5179



Solenoid Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4810-01-122-5179 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.094 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Universal **Maximum Operating Temp:** 104.0 degrees fahrenheit single response **Connection Style:** G9 plain, optional en (pipe) all ends **Current Rating In Amps:** 0.467 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 100.0 pounds per square inch single response **Thread Size:** 0.250 inches all ends **Voltage In Volts And Current Type:** 24.0 dc **Center To Center Distance:** 1.094 inches Material: Plastic polyamide flow control device and rubber butadiene-acrylonitrile class nbr flow control device Media For Which Designed: Water-oil-gas single response **Style Designator:** Err-090 **Thread Series Designator:** Npt all ends Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 4810-01-122-5179

Solenoid Valve - Page 2 of 2



Fiig:

A046b0