## NSN 4810-01-127-3016

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-127-3016 **Thread Direction:** Right-hand all ends **Flow Control Device: Poppet** Flow Control Device Normal Operation Position: Closed **End Application:** Qf 100 smoke system - pump installation **Connection Style:** G4 gasket sea (boss) all ends **Current Rating In Amps:** 3.000 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal **Inlet/outlet Operating Pressure Differential:** 150.0 pounds per square inch **Thread Size:** 0.500 inches all ends **Voltage In Volts And Current Type:** 24.0 dc **Special Features:** Material-internal parts are stainless steel; dim 4.000in. Lg, 2.750 in. W, 2.375 in. D; weight - 2.5to 3.0 lbs; two-way Material: Copper alloy body Media For Which Designed: Oil 2nd response **Style Designator:** Err-090 **Thread Series Designator:** Npt all ends **Furnished Items And Quantity:** 1 electrical connector Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

Yes - demil/mli

## NSN 4810-01-127-3016

Solenoid Valve - Page 2 of 2



Fiig:

A046b0