NSN 4810-01-134-6952

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-134-6952 **Thread Class:** 3b all ends **Thread Direction:** Right-hand all ends Flow Control Device: Disk Flow Control Device Normal Operation Position: Closed **Connection Style:** G4 gasket sea (boss) all ends **Current Rating In Amps:** 0.500 and 0.454 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal boss all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 300.0 pounds per square inch single response **Thread Size:** 0.438 inches all ends **Voltage In Volts And Current Type:** 110.0 ac and 120.0 ac Phase: Single **Special Features:** Class h high temperature coils with 18 in. Leads Frequency In Hertz: 50.0 and 60.0 Material: Rubber butadiene-acrylonitrile class nbr flow control device Media For Which Designed: Water-oil-gas single response **Style Designator:** Err-090 **Thread Series Designator:** Unf all ends Shelf Life:

N/a **Unit Of Measure:**

NSN 4810-01-134-6952

Solenoid Valve - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A046b0